Application No.: 10/535,312

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (Currently amended) A method of producing an immunoglobulin constant region,

comprising:

transforming E. Coli with a recombinant expression vector including a nucleotide

sequence encoding a signal sequence isolated from E. Coli and a nucleotide sequence encoding

an immunoglobulin constant region, without a variable region;

culturing a resulting transformant; and

isolating and purifying the immunoglobulin constant region expressed by the

transformant,

wherein the signal sequence is a heat-stable enterotoxin II signal sequence, and wherein

the immunoglobulin constant region is expressed in the cytoplasm in a water soluble form and is

not secreted into the medium.

(Previously presented) The method according to claim 1, wherein the

immunoglobulin constant region is selected from the group consisting of constant regions from 1

IgG, IgA, IgM, IgE, and IgD.

(Previously presented) The method according to claim 2, wherein the IgG is

selected from the group consisting of constant regions from IgG1, IgG2, IgG3, and IgG4.

2

Application No.: 10/535,312

4. (Original) The method according to claim 3, wherein the immunoglobulin

constant region is an IgG4 constant region.

(Original) The method according to claim 4, wherein the immunoglobulin

constant region is a human aglycosylated IgG4 constant region.

6. (Previously presented) The method according to claim 3, wherein the

immunoglobulin constant region lacks all or a portion of a hinge region.

(Canceled)

8. (Previously presented) The method according to claim 1, wherein the recombinant

expression vector comprises a nucleotide sequence encoding a heavy chain constant 1 region or a

nucleotide sequence encoding a light chain constant region.

9. (Original) The method according to claim 1, wherein the immunoglobulin

constant region has an amino acid sequence represented by SEQ ID NO. 21, 22, 23, 24, 25, 27,

29, 30, 34 or 35.

10. (Canceled)

3

Application No.: 10/535,312

 (Previously Presented) The method according to claim 1, wherein the heat-stable enterotoxin II signal peptide has an amino acid sequence represented by SEQ ID NO. 36, 37, 38, 39, 40, 41, 42, 43, 44, 45 or 46.

- (currently amended): The method according to claim 1, wherein the recombinant
 expression vector comprises the signal sequence, and a nucleotide sequence encoding an
 immunoglobulin constant region-as-set-forth according to of SEQ ID NOs: 21-25, 27, 29, 30, 34,
 or 35.
- 13. (Previously presented) The method according to claim 1, wherein the transformant is selected from the group consisting of *E. Coli* BL21/pSTIIGICH1 3(HM10935; Deposit No. KCCM-10600), BL21/pSTIIdCG1Fc (HM10927; Deposit No. KCCM-10588), BL21/pSTIIdCG1SFc (HM10928; Deposit No. KCCM-10589), BL21/pSTIIdCG1SFFc (HM10929; Deposit No. KCCM-10594), BL21/pSTIIGIMo (HM10930; Deposit No. KCCM10595), BL21/pSTIIdCG4Fc (HM10932; Deposit No. KCCM-10597), 1 BL21/pSTIIG4CH1 3 (HM10931; Deposit No. KCCM-10596), BL21/pSTIIG4Mo (HM10933; Deposit No. KCCM-10598), and BL21/pSTIIG4H K (HM10934; Deposit No. KCCM-10599).
 - 14. (Canceled)
- (Withdrawn) An immunoglobulin constant region prepared by the method of claim 1.

Application No.: 10/535,312

16. (Previously presented) The method according to claim 1, wherein the immunoglobulin constant region lacks all or a portion of a hinge region.